
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP1-S4 10 mg

Report To:
BH Lab
1445 E Madison St
Brownsville, TX 78520
949-781-1536

Compound: GLP1-S4
Amount: 10 mg
Laboratory ID: V250808-11 003
Date Reported: 8/28/2025
Lot Number: 1362



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	>99.80% + 0.18%
Assay	HPLC-UV/VIS	11.38 mg

ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on 8/28/2025

Approved By: Tori Johnson, Operations Manager on 8/28/2025

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

GLP1-S4 10 mg

Report To:
BH Lab
1445 E Madison St
Brownsville, TX 78520
949-781-1536

Compound: GLP1-S4
Amount: 10 mg
Laboratory ID: V250808-11 003
Date Reported: 8/28/2025
Lot Number: 1362

Analyte	Method	LOQ (ppm)	Result (ppm)
Chromium (Cr)	ICP-MS	0.025	ND
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Aluminum (Al)	ICP-MS	2.00	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 250820, 250828Hg

Analysis	Method	Result
Endotoxins	LAL	24.34 EU/mg
Sterility	USP <71>	PASS - No microorganisms present in sample tested.

Report By: Dustin Newman, Laboratory Director on 8/28/2025

Approved By: Tori Johnson, Operations Manager on 8/28/2025

ND: Non-Detect
LOD: Limit of Quantification

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.